BRUSH RESEARCH MANUFACTURING CO., INC. MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

Trade Name (as Labeled)

MAGNATEST INSPECTION POWDER, YELLOW

Chemical Names, common names IRON

Manufacturer's name BRUSH RESEARCH MFG. CO., INC. Address 4642 East Floral Dr., Los Angeles, CA 90022 Emergency Phone 213-261-2193 **Business Phone** 213-261-2193

Date Prepared 6/2/98

Exposure Limits in Air

OSHA (PEL)

II. HAZARDOUS INGREDIENTS

Chemical Names Iron *C.P. Yellow Medium

CAS Numbers 93.3 65997-19-5

7439-92-1

ACGIH (TLV) 10mg/m3 .15mg/m3

OTHER

.05mg/m3

6.7 *Lead cantained in this product. Handle according to applicable standards.

%

III. PHYSICAL PROPERTIES

Vapor Density Specific Gravity Solubility in Water Vapor pressure, mmHg at 20C Evaporation rate (butyl acetate =1) Appearance and order Melting point or range, °F Boiling point or range, °F

no information available 7.5 not soluble 1MM no information available yellow fine powder - no odor no information available 5432° F

BRUSH RESEARCH MANUFACTURING CO., INC. MATERIAL SAFETY DATA SHEET

IV. FIRE AND EXPLOSION

Flash Point, °F (give method) Autoignition temperature, °F Flammable limits in air, volume %. Fire extinguishing materials: _____water spray _____foam N/A N/A Lower N/A Upper N/A _____carbon dioxide _____dry chemical

_X_other: graphite, dolomite or sodium chloride

Special fire fighting procedures: Use water only in mist/fog application to avoid spreading powder or accumulated dust in surrounding areas. Firefighters should use self contained breathing apparatus and protective clothing & equipment.

Unusual fire and explosion hazards: Iron is not considered flammable under most conditions. Avoid airborne dispersion of any finely divided powder in an enclosed industrial area to reduce potential for dust ignition.

NFPA Rating:

Fire = 0Reactivity = 0 Health = 0 Specific Hazard = NONE

V. HEALTH HAZARD INFORMATION

Symptoms of Overexposure:

Inhaled: Acute - Bronchitis / Chronic - Siderosis Contact with skin or eyes: Acute-Mechanical Irritation / Chronic Conjunctivitis Absorbed through skin: No information available Swallowed: No information available

First Aid: Emergency Procedures

Eye Contact: Immediately flush with large quantities of water. Eye lids should be held away from the eyeballs to insure thorough rinsing. Do not rub eyes. Obtain medical attention if irritation persists. Skin Contact: Wash with soap & water Inhaled: Remove to fresh air Swallowed: No information available

SUSPECTED CANCER AGENT?

_X_NO: This product's ingredients are not found in the lists below, __YES: __Federal OSHA __NTP __IARC __Cal/OSHA (see note)*

NOTE: California employers using Cal/OSHA-regulated carcinogens must register with Cal/OSHA.

Medical Conditions Aggravated By Exposure: No information available Recommendation To Physician: No information available

BRUSH RESEARCH MANUFACTURING CO., INC. MATERIAL SAFETY DATA SHEET

VI. REACTIVITY DATA

Stability: _X_Stable __Unstable Conditions to avoid: Generation of airborne dust Incompatibility (materials to avoid): Pure oxygen or other strong oxidizers Hazardous decomposition products (including combustion products): None Hazardous polymerization: __May occur _X_Will not occur

VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill Response Procedures:

Avoid generation of airborne dust. Where possible use vacuum suction to clean spilled material. Use high efficiency particulate arresting (HEPA) filter if the vacuum exhaust is discharged into the workplace. Use dust suppressant where sweeping is necessary. Personal safety recommendations described elsewhere on this MSDS apply to exposure during spill cleanup procedures.

Preparing wastes for disposal (container types, neutralization, etc.): Dispose of in accordance with all applicable Federal, State and local regulations.

VIII. SPECIAL HANDLING INFORMATION

Ventilation and Engineering Controls: Use adequate ventilation in order to maintain airborne particulate levels below the recommended exposure limits (see Section II).

Respiratory Protection: Use NIOSH-approved dust respirator with approval number TC-21-C where airborne levels of material exceed the recommended exposure limits (see Section II).

Eye Protection: Wear safety glasses or goggles when handling material to prevent eye contact. Do not wear contact lenses. Have eye baths readily available where eye contact can occur.

Precautions to be taken in Handling and Storage: Keep in closed containers. Do not store near strong oxidizers. Use good housekeeping practices to prevent accumulation of dust.

IX. COMMENTS

Observe good industrial hygiene and safety precautions when handling this product. We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.